



entidad mexicana de acreditación, a.c.

Granted to the testing facility:

## Laboratorios Roy H. Anderson S.A. de C.V. Laboratorios Anderson

NORTE 11, MANZANA 1, LOTE 1, S/N, PLANTA BAJA,  
COL. CIUDAD INDUSTRIAL, C.P. 38010,  
CELAYA, GUANAJUATO.

### CERTIFICATE OF REGISTRATION OF CONFORMITY WITH THE OECD PRINCIPLES OF GOOD LABORATORY PRACTICE

The entidad mexicana de acreditación, a.c., ema, states that according to the requirements of their programme for verifying compliance with Good Laboratory Practice, the testing facility Laboratorios Roy H. Anderson S.A. de C.V., holds the contents of non-clinical studies in the scope of this certificate of registration in compliance with the Organization for Economic Cooperation and Development OECD Principles of good laboratory practices (1998).

Registry No:  
Date of registration

**BPL- 001/14**  
**2014/11/07**

  
**MARIA ISABEL LÓPEZ MARTÍNEZ**  
Directora Ejecutiva de ema, a.c.

This document is not valid without its corresponding technical annex.

**LABORATORIOS ROY H. ANDERSON S.A. DE  
C.V.  
LABORATORIOS ANDERSON**

*Has been Recognized in  
Good Laboratory Practice*

*In Compliance with the Organisation for Economic Co-operation and Development (OECD) Principles of Good  
Laboratory Practice - (1998).*

**Registry No: BPL- 001/14**

**Date of registration: 2014-11-07**

**Date of issuance: 2017-06-16**

**Address:** Norte 11, Manzana 1, Lote 1, s/n, Planta baja, Col. Ciudad industrial, C.P. 38010,  
Celaya, Guanajuato.

**Telephone:** +52 (461) 611 - 8107

**Authorized representative:**

*I.Q. Rosario Rosaura Gutierrez Castro*

**Scope of registration:**

Non-clinical studies conducted in  
Agrochemicals

Areas of expertise in studies:

01 Physical-Chemical testing.

**Inspection dates**

**Type of inspection**

27-28, October 2014 (14BPL0001)

Complete Inspection

03-04, December 2015 (15BPL0001)

Study Audit

03-04, November 2016 (16BPL0003)

Complete Inspection

By the entidad mexicana de acreditación, a.c.

  
**María Isabel López Martínez**  
Executive Director